
TECHNICAL INFORMATION SHEET

CLA1005 Uist Oak

Classic Collection





Technical Information

Formaldehyde Emissions	E1
Pentachlorophenol Emissions	Not Detectable
Thermal Conductivity	0.14W/(M.K)
Slip Resistance PTV	62/39
Fire Classification	Dfl-s1
Moisture Content	7-10%
Hardness Rating	3.7H

Grading Information

Rustic grade has the potential to include all characteristics across the majority of boards with knots installed by a competent installer. Atkinson & Kirby appearing in varying sizes as well as colour variation in warranties apply only to floors that have been the timber to be expected. Sapwood is possible, checks installed according to our fittings instructions that can that are likely to be present will be filled in a colour to be found on our website. complement the natural look of the timber.

Product Information

Product Name	Uist Oak		
Product Code	CLA1005		
Collection	Classic		
Construction	Engineered		
Size	14 x 150 x 1900mm		
Pack Size	2.28m ²		
Grade	Rustic		
Surface	Smooth		
Finish	Lacquered		
Profile	5G		
Edge	Bevelled		
Pattern	Plank		
Thickness	14mm		
Width	150mm		
Length	1900mm		
- Wear Layer	3mm		
Backing	Poplar		
Top Layer	Oak		
Additional Information			

Responsible Certification	FSC®
UKTR Compliance	Yes

Installation and Warranty

Atkinson & Kirby recommend that all floors are

Recommended Care and Maintenance Products* Installation Method

Floated	Yes	For Regular Care	WOCA Master Cleaner
Secret Nailed	No	For Annual Care	WOCA Master Care & WOCA
Stuck Down	Yes		Intensive Cleaner as primer
Underfloor Heating	Yes		

^{*}Remember to patch test any cleaning or finishing products before using on the whole length of your floor.

This technical information sheet was compiled and written by Atkinson & Kirby. At the time of publication all information is specified correctly. The company reserves the right to change the specification of this product at any time without prior notice for third parties. To confirm the latest information please speak to a member of our team.