

Timeless beauty

## Floors that define your space



There is a special feel to a room with a real wood floor. Partly a recognition of quality, partly a connection to nature, and partly the warmth and character that a natural product brings to a space.

We have a real wood floor for every style of interior, whatever your project we can enhance the environment with superb good looks and outstanding performance.

Cover Baltra Oak. Above: Harlesden Smoked Oak.

**HERITAGE**

Page 16

**HARMONY**

Page 24

**CLIMATE**

Page 32

**ANTIQUE**

Page 38

**NATURAL**

Page 46

**PRESTIGE**

Page 54

**TIMEWORN**

Page 58

**PRINCIPLE**

Page 64

**PERFORMANCE**


Page 68

## Redefined Collections. Thoughtfully Curated. Inspired by Design.

We have thoughtfully redefined our collections to make it easier for you to find the perfect floor your space and project.

**CONTENTS**

- 3 Introduction
- 6 Company History
- 8 Why real wood?
- 10 Choosing your perfect floor
- 12 Sustainability
- 14 Features
- 16 Flooring Collections
- 74 Bespoke Flooring
- 76 Material Source
- 78 Installation & Maintenance
- 80 Finishing products
- 86 Flooring Summary



## Over 120 years of excellence



Atkinson & Kirby was established in 1903 by John Atkinson and John Kirby. Tradition is an integral part of Atkinson & Kirby and we are proud to still manufacture a large selection of our flooring accessories at our mill in Chirk, North Wales. Since our establishment we still retain the original close-knit family environment feel, with everyone working together to ensure we provide the highest quality flooring that exceeds our customers expectations.

In 2003, Atkinson & Kirby was acquired by Richard Burbidge, the UK's leading manufacturer and supplier of stairparts, mouldings, decking balustrade and the Archwood Group was formed. Richard Burbidge also have an extensive business history, originating in Coventry in 1867, and stays true to its family-run roots to this day. Our passion and expertise for hardwood flooring, combined with Richard Burbidge's decades of experience working with timber, makes us a market leader in hardwood flooring.

Today, Atkinson & Kirby remains a family-run business with Josh Burbidge as Managing Director, and Richard Burbidge as Chairman. There is still the same emphasis and commitment today to quality, customer service and the finest traditions of British craftsmanship instilled by its founders in 1903. We are committed to finding new and innovative concepts and designs, whilst providing the authentic flooring our customers are accustomed to. With so many years under our belt at Atkinson & Kirby, we have a wealth of knowledge and expertise at our finger tips, our floors can be seen in many high-profile developments across every industry.

We combine over a century of skill and craft with leading technology to develop the next generation of hardwood flooring, making Atkinson & Kirby an industry leader.

## Why Real Wood?

### KEEP IT REAL!

Atkinson & Kirby hardwood flooring benefits from the unique individuality that a real natural floor delivers. You know the genuine thing when you see it, and if you pick the floor to suit your home it will provide the perfect foundation for a lifetime of trends to come and go.

### TIMELESS, AGELESS AESTHETICS

Real wood floors are completely natural, and because of that they will always look good. Even as they age, slight changes in colour or signs of wear only add to the character of the floor.

### UNIQUE AND ORIGINAL

You can't fake the natural beauty of real wood floors. This means there are no repeats, your floor is yours - a completely unique original.

### IT LASTS A LIFETIME

Real wood floors are completely natural, and because of that they will always look good. Even as they age, slight changes in colour or signs of wear only add to the character of the floor.

### ADDS VALUE TO YOUR HOME

A real wood floor is a permanent feature of the home, it sets the tone and mood of a space from the ground up. As a permanent fitting it will always add to the value of the home, providing a higher level of quality, finish and status.

### GOOD FOR YOUR HEALTH

It is now accepted that surrounding ourselves with the genuine produce of nature helps to promote a feeling of wellbeing and contentment. Avoiding plastics, chemicals and solvents are also good for the health of everyone and the planet.

### CHANGE AS YOUR TASTES CHANGE


Although real wood floors will last a lifetime it doesn't mean they can't change. Floors can be refinished, some of them many times over, to change tone and colour, matt or shiny, whatever is required.

### ENVIRONMENTALLY FRIENDLY

Sustainably sourced and sympathetically finished there is no doubt that a real wood floor is an ecologically friendly choice. They can last for hundreds of years, and are totally recyclable if the situation requires, even to the extent of being relaid in a different property.

Right: Wyvis Smoked Oak





## Choosing your perfect floor

Atkinson & Kirby real wood flooring looks fabulous, lasts a lifetime and is always on-trend. Real wood floors are all about being in harmony with the space's architecture, sense of style and purpose, and will provide the perfect foundation for a lifetime of trends to come and go. And in all that time your real wood floor just keeps looking better and better.

### SPACE

We believe in trying to match the floor to the basic architecture of the building, so a rustic, timeworn plank will perfectly suit an apartment in a repurposed industrial warehouse. Or an elegant parquet would be true to an original Art Deco property. These combinations are a result of architectural and interior design history, so they have been proven to work in harmony over many decades.

### STYLE

Style that's perfect for a classic stone cottage might not suit a new coastal retreat, so think carefully about the light, materials, and overall character of your space. Trends come and go, but a quality wood flooring is an investment in a lifestyle - one that's all about lasting comfort, sustainability, and personal style. Whether you're drawn to calming neutrals, bold and expressive tones, or the authentic beauty of natural timber, let your flooring reflect how you live.

Explore the latest inspiration from Atkinson & Kirby and discover how the right flooring can elevate your project.

### PURPOSE

All of our real wood floors could be classified as heavy duty, and so suitable for any location. But there are places where the traffic is extraordinarily heavy, such as busy pubs, public buildings or offices, and for these situations we have floors with a thicker wear layer. We also have floors constructed especially for the special requirements of gyms and sports courts.

Left: Verdant Smoked Oak

# Committed to our environmental footprint

Wood is an amazing natural resource and we feel privileged to work with it. Environmental responsibility is at the heart of Atkinson & Kirby and we are proud to support sustainable timber production with a host of environmental and sustainable accreditations.

From 1903 to the present day we have taken pride in the quality of our floors and we continue to be just as meticulous in our timber selection, making sure the origin of our wood is from a sustainable source. We are delighted to have been awarded the FSC® and PEFC certification. These certifications promote environmentally appropriate, socially beneficial and economically viable management of the world's forests. At Atkinson & Kirby, we are proud to source a large selection of our timber from trees that are harvested as part of responsible and sustainable forest management, as well as promoting responsible and ethical practice. Please look for FSC® and PEFC certified products within this brochure.\*

We're proud to produce a large majority of our flooring accessories at our own mill in Chirk, North Wales. We're also extremely proud of our ISO 14001 Environmental Management Systems certification, which demonstrates that we operate a business taking into account minimising our environmental impacts.

Oak is our top choice for hardwood floors as it is one of the most sustainable timbers. With forest management programs regularly replanting oak trees, it has one of the smallest carbon footprints of all woods and releases fewer toxic emissions. Oak has the incredible ability to withstand the test of time. With a classic sophisticated look that remains strong and durable, using oak helps to increase the longevity of your flooring, making it even more sustainable.

We will always champion sustainable and environmentally viable hardwood flooring, making Atkinson & Kirby the top choice for the eco-conscious consumer.



\*For full certification information, and products identified as FSC® and PEFC® throughout the brochure, please ask us for more information.



## Features that define our floors



### LIFETIME WARRANTY\*

We offer lifetime warranty on various products, subject to terms and conditions



### FLOOR THICKNESS

A range of thickness options are offered, to enable tailored specification to different applications and traffic characteristics.



### TONGUE & GROOVE

This simple but effective method of fitting is tried and tested over generations - Atkinson & Kirby ensure the tradition can continue with various products supplied in T&G format.



### 2G

The click system allows fast, easy and accurate installation, with joint integrity assured board after board.



### 5G

Quick and easy, 5G is a development of click systems, where boards are instantly interlocked securely, and perfectly aligned with each other across the entire installation.




### CLICK FOLD DOWN

Many of our herringbone planks benefit from simple 'fold down' fitting. The edges of the planks are precision profiled to allow easy alignment and ensure secure joints for a better, closer fitting result.




### SUITABLE FOR UNDERFLOOR HEATING

Our engineered hardwood floors have the stability to perform well over underfloor heating systems. Manufacturers agree that water-based heating is the best option, due to slower heating and cooling when compared to electrical systems.




**Narrow Plank**  
Up to 160 mm




**Medium Plank**  
Medium- 60-190 mm



**Wide Plank**  
Over 190 mm



**Narrow Block**  
Up to 70mm



**Medium Block**  
Over 70mm

\* Warranty info available on our website, lifetime considered 25 years.



### PRIME GRADE

Prime grade is given to our clearest boards that contain only a small amount of colour variance and knots. Prime grade floors are a good choice when you want a minimal and uniform look.

### SELECT GRADE

Select grade has the occasional smaller knot and colour variance. Select grade floors are the ideal choice when you want a minimal look, but are looking for a bit of natural character to break up the floor.

### NATURAL GRADE

Natural grade floors fall between prime and rustic; they contain plenty of character and natural variances, but the size of knots and splits will not be as prominent as they are in rustic boards. Natural floors showcase the rustic characteristics of oak.

### RUSTIC GRADE

Rustic floors offer beautiful character and variation that showcase the beauty of natural hardwoods. Splits, knots and interesting colour variations blend together to produce a finished floor full of charm and personality.

### SUPER RUSTIC GRADE


Super Rustic floors offer maximum variation that showcase the beauty of natural hardwoods. With plentiful character; splits, knots and interesting colour variations blend to form optimum rustic appeal.

Left: Lismore Oak



# HERITAGE

## COLLECTION



### SUPER DURABLE, SUPER MATTE LUXURY ENGINEERED WOOD FLOOR FOR HIGH TRAFFIC

A range crafted for longevity, featuring 20mm herringbone and chevron parquet all protected with revolutionary Fusion Hybrid finish, the first of its kind in the UK. Experience unmatched durability paired with the natural, matte look and feel of oil-wax. It's the perfect blend of longevity and style, redefining expectations for finished flooring, and perfect for high traffic areas. Built to last a lifetime, and perfectly suits Regency Revival style, blending classic glamour with contemporary palettes and luxury materials.

### INTERIOR DESIGN STYLES

BOHEMIAN | CONTEMPORARY MAXIMALISM | REGENCY REVIVAL | GUSTAVIAN  
TRADITIONAL | QUIET LUXURY

Left project: Abode hotel Manchester Above: Chesterfield Oak.



**UNIQUE BLEND OF OIL-WAX & LACQUER**

A revolutionary combination of both oil-wax and lacquer has created a Fusion Hybrid® coating that delivers exceptional levels of protection.



**6x SUPERIOR PROTECTION**

Technological advances mean that 6 times more protective coating can be applied to the surface compared to a floor finished with standard oil-wax treatment.



**14X WEAR RESISTANCE**

In comprehensive tests the Fusion Hybrid® coating achieved 14 times more resistance to wear than regular oil-wax coatings.



**ECO FRIENDLY SOLVENT FREE**

The Fusion Hybrid® coating is free from any solvents or harmful substances, making it safe for people with allergies, and for children and pets.




Right: Somersby Oak



**HERITAGE**



**PAR4001 Westbury Oak**  
 Engineered Medium Herringbone  
 Finish: Fusion Hybrid®  
 Grade: Rustic  
 Thickness: 20 mm  
 Size: 100 (W) mm x 600 (L) mm  
 Wear Layer: 6 mm  
 Profile: T&G



**PAR4002 Somersby Oak**  
 Engineered Medium Herringbone  
 Finish: Fusion Hybrid®  
 Grade: Rustic  
 Thickness: 20 mm  
 Size: 100 (W) mm x 600 (L) mm  
 Wear Layer: 6 mm  
 Profile: T&G



**PAR4003 Bathford Oak**  
 Engineered Medium Herringbone  
 Finish: Fusion Hybrid®  
 Grade: Rustic  
 Thickness: 20 mm  
 Size: 100 (W) mm x 600 (L) mm  
 Wear Layer: 6 mm  
 Profile: T&G



**PAR4004 Wingate Oak**  
 Engineered Medium Herringbone  
 Finish: Fusion Hybrid®  
 Grade: Rustic  
 Thickness: 20 mm  
 Size: 100 (W) mm x 600 (L) mm  
 Wear Layer: 6 mm  
 Profile: T&G



**PAR4005 Honeystreet Oak**  
 Engineered Medium Herringbone  
 Finish: Fusion Hybrid®  
 Grade: Rustic  
 Thickness: 20 mm  
 Size: 100 (W) mm x 600 (L) mm  
 Wear Layer: 6 mm  
 Profile: T&G



**PAR4006 Paddington Oak**  
 Engineered Medium Herringbone  
 Finish: Fusion Hybrid®  
 Grade: Rustic  
 Thickness: 20 mm  
 Size: 100 (W) mm x 600 (L) mm  
 Wear Layer: 6 mm  
 Profile: T&G

HERITAGE



**PAR4007  
Oxbridge Oak**  
Engineered Medium Herringbone  
Finish: Fusion Hybrid®  
Grade: Rustic  
Thickness: 20 mm  
Size: 100 (W) mm x 600 (L) mm  
Wear Layer: 6 mm  
Profile: T&G



**PAR4008  
Foxley Oak**  
Engineered Medium Herringbone  
Finish: Fusion Hybrid®  
Grade: Rustic  
Thickness: 20 mm  
Size: 100 (W) mm x 600 (L) mm  
Wear Layer: 6 mm  
Profile: T&G



**PAR4009  
Mayfair Oak**  
Engineered Medium Herringbone  
Finish: Fusion Hybrid®  
Grade: Rustic  
Thickness: 20 mm  
Size: 100 (W) mm x 600 (L) mm  
Wear Layer: 6 mm  
Profile: T&G



**PAR4010  
Chesterfield Oak**  
Engineered Medium Herringbone  
Finish: Fusion Hybrid®  
Grade: Rustic  
Thickness: 20 mm  
Size: 100 (W) mm x 600 (L) mm  
Wear Layer: 6 mm  
Profile: T&G



Above: Honeystreet Oak

HERITAGE



**PAR4012  
Somersby Oak**  
Engineered Medium Chevron 60/45  
Finish: Fusion Hybrid®  
Grade: Rustic  
Thickness: 20 mm  
Size: 100 (W) xmm 520 (L) mm  
Wear Layer: 6 mm  
Profile: T&G



**PAR4013  
Bathford Oak**  
Engineered Medium Chevron 60/45  
Finish: Fusion Hybrid®  
Grade: Rustic  
Thickness: 20 mm  
Size: 100 (W) xmm 520 (L) mm  
Wear Layer: 6 mm  
Profile: T&G



**PAR4014  
Wingate Oak**  
Engineered Medium Chevron 60/45°  
Finish: Fusion Hybrid®  
Grade: Rustic  
Thickness: 20 mm  
Size: 100 (W) xmm 520 (L) mm  
Wear Layer: 6 mm  
Profile: T&G



**PAR4015  
Oxbridge Oak**  
Engineered Medium Chevron 60/45°  
Finish: Fusion Hybrid®  
Grade: Rustic  
Thickness: 20 mm  
Size: 100 (W) xmm 520 (L) mm  
Wear Layer: 6 mm  
Profile: T&G

\* made to order Chevron available in both 45 & 60° angle



1



2



3



3



2



3



2



3

# HERITAGE

SPACE. STYLE. PURPOSE

## 1. OLD COURSE HOTEL, ST. ANDREWS

**Location:** St Andrews, Scotland  
**Application:** Hotel  
**Floor:** Harrow Oak  
**New Product Match:** Oxbridge Oak

The Parquet collection was selected to update the entrance and reception area of the prestigious Old Course Hotel in St Andrews. Perfectly befitting of the stunning interior design of the statuesque golf resort and spa, Harrow Oak (new product match - Oxbridge Oak) was selected as the ideal flooring for both the entrance and reception areas. It's a perfect fit for the Old Course Hotel, as the parquet flooring harmonises effortlessly with the traditional interior design. The shade selected has helped to add warmth and a sense of style to the entrance space, and the high-quality finish means the hotel can expect the flooring to last.

## 3. PRESTIGIOUS OFFICE SPACE, LONDON

**Location:** London  
**Application:** City Center Office  
**Floor:** Winchester Oak  
**New Product Match:** Somersby Oak

In the heart of London this prestigious office space combines historic facade with contemporary architectural design, providing an ideal setting for companies looking to make a statement. The project seamlessly combines modern design with functionality, and our rustic grade Winchester Oak flooring (new product match Somersby Oak) was selected as an ideal choice. Its versatile blocks allow for a range of designs to be created, adapting to the size of the space and bringing both warmth and elegance. The timeless design of the flooring complements the modern architecture, ensuring the building's character stands out while providing a welcoming atmosphere.

## 2. ABODE HOTEL, MANCHESTER

**Location:** Manchester  
**Application:** Hotel bar refurbishment  
**Floor:** Marlborough Oak  
**Contractor:** Shone Building Ltd  
**New Product Match:** Wingate Oak

Engineered parquet adds a touch of elegance to the high traffic reception zone at the hotel entrance. The Abode Manchester is a luxury hotel situated in the thriving Manchester city centre, and was formerly a 19th century textile factory. Shone Building Ltd, the project contractor, selected Marlborough Oak parquet (new product match Wingate Oak) to enhance the sense of luxury and reflect the Abode Hotel's distinctive style, which focuses on both quality and comfort. With the high level of footfall the Abode Hotel receives on a daily basis, a durable, long-lasting and eye-catching floor was an essential upgrade.



# HARMONY

## COLLECTION



### MIX AND MATCH UV OILED WOOD FLOORING FOR ENDLESS DESIGN POSSIBILITIES

The Harmony collection features UV-oiled plank and parquet transitional flooring, designed for seamless flow in open-plan spaces. Flooring patterns can be used to create beautiful zonal areas while maintaining a cohesive, contemporary aesthetic. Perfect for dopamine decor and flexible vivid zonal open spaces.

### INTERIOR DESIGN STYLES

VIVID ZONAL | BRIGHTER FUTURE | URBAN PLAY | DOPAMINE DÉCO | BOHO

Left: Nanzen Oak Plank & Herringbone. Above: Congaree Smoked Oak Plank & Herringbone.



Above: Nanzen Oak



**PAR1020  
Katsura Oak**  
Engineered Medium Herringbone  
Finish: Brushed & UV Oiled  
Grade: Rustic  
Thickness: 15 mm  
Size: 90 (W mm) x 450 (L) mm  
Wear Layer: 3 mm  
Profile: T&G



**PAR1021  
Noma Smoked Oak**  
Engineered Medium Herringbone  
Finish: Brushed & UV Oiled  
Grade: Rustic  
Thickness: 15 mm  
Size: 90 (W mm) x 450 (L) mm  
Wear Layer: 3 mm  
Profile: T&G



**PAR1022  
Congaree Smoked Oak**  
Engineered Medium Herringbone  
Finish: Brushed & UV Oiled  
Grade: Rustic  
Thickness: 15 mm  
Size: 90 (W mm) x 450 (L) mm  
Wear Layer: 3 mm  
Profile: T&G



**CON1020  
Katsura Oak**  
Engineered Medium Plank  
Finish: Brushed & UV Oiled  
Grade: Rustic  
Thickness: 15 mm  
Size: 190 (W) mm x 1900 (L) mm\*  
Wear Layer: 4 mm  
Profile: T&G



**CON1021  
Noma Smoked Oak**  
Engineered Medium Plank  
Finish: Brushed & UV Oiled  
Grade: Rustic  
Thickness: 15 mm  
Size: 190 (W) mm x 1900 (L) mm\*  
Wear Layer: 4 mm  
Profile: T&G



**CON1022  
Congaree Smoked Oak**  
Engineered Medium Plank  
Finish: Brushed & UV Oiled  
Grade: Rustic  
Thickness: 15 mm  
Size: 190 (W) mm x 1900 (L) mm\*  
Wear Layer: 4 mm  
Profile: T&G

\* Majority 1900mm lengths, with random lengths nested.

## HARMONY



**PAR1023**  
**Verdant Smoked Oak**

Engineered Medium Herringbone  
 Finish: Brushed & UV Oiled  
 Grade: Rustic  
 Thickness: 15 mm  
 Size: 90 (W mm) x 450 (L) mm  
 Wear Layer: 3 mm  
 Profile: T&G



**PAR1024**  
**Nanzen Oak**

Engineered Medium Herringbone  
 Finish: Brushed & UV Oiled  
 Grade: Rustic  
 Thickness: 15 mm  
 Size: 90 (W mm) x 450 (L) mm  
 Wear Layer: 3 mm  
 Profile: T&G



**CON1023**  
**Verdant Smoked Oak**

Engineered Medium Plank  
 Finish: Brushed & UV Oiled  
 Grade: Rustic  
 Thickness: 15 mm  
 Size: 190 (W) mm x 1900 (L) mm  
 Wear Layer: 4 mm  
 Profile: T&G




**CON1024**  
**Nanzen Oak**

Engineered Medium Plank  
 Finish: Brushed & UV Oiled  
 Grade: Rustic  
 Thickness: 15 mm  
 Size: 190 (W) mm x 1900 (L) mm  
 Wear Layer: 4 mm  
 Profile: T&G


\* Majority 1900mm lengths, with random lengths nested.

Right: Noma Smoked Oak





1



1



2



3



1



2



2



2

# HARMONY

SPACE. STYLE. PURPOSE

## 1. SIXES, GUILDFORD

**Location:** Guildford  
**Application:** Restaurant  
**Floor:** Congaree Smoked Oak  
**Installer:** Clarke Gough Joinery

Sixes Cricket has added another of its popular cricket-inspired restaurants to its portfolio. This unique restaurant and bar chain injects fun into cricket, with a dedicated area for playing in each venue. To complement the bold décor, Clarke Gough Joinery recommended and installed one of our newer products, Congaree Smoked Oak, in plank, for the flooring. The rich, toffee tones of the wood contrast perfectly with the vibrant walls and furnishings.

## 2. PARLIAMENT SQUARE, EDINBURGH

**Location:** Edinburgh  
**Application:** Apartments  
**Floor:** Verdant Smoked Oak Parquet  
**Specifier:** Pamela Mackay Interiors

This Grade A listed, two-bedroom apartment sits within a Georgian building in the heart of Edinburgh's Old Town, just steps from St Giles Cathedral, the Royal Mile and Edinburgh Castle. Surrounded by cobbled streets and historic architecture, the apartment blends period character with contemporary living. Our Verdant Smoked Oak Parquet was installed to provide a versatile and durable foundation for the space, the smoked oak parquet introduces a rich tonal palette with subtle variation, enhancing the interior without competing with the building's architectural details.

## 3. ELEMENTS RESTAURANT, GLASGOW


**Location:** Glasgow  
**Application:** Restaurant  
**Floor:** Noma Smoked Oak  
**Installer:** Murray Timber  
**Architect:** Davidson Baxter Partnership Ltd

Elements in Bearsden, Glasgow, has swiftly emerged as a symbol of Scottish fine dining under the direction of acclaimed Chef Gary Townsend. The interior design demanded a flooring solution that balanced durability with aesthetic appeal, capable of withstanding the rigours of a bustling restaurant while enhancing the ambiance. To complement the design, Noma Smoked Oak Flooring was chosen, its subtle variations and distinctive smoked finish added depth and character to the restaurant's interior, perfectly aligning with the modern yet rustic aesthetic.



# CLIMATE

## COLLECTION



### LIMED, WHITEWASHED OAK ENGINEERED FLOORING FOR CALM & TRANQUILITY

The Climate collection features bleached, weathered, and rustic designs, inspired by coastal calm and Scandi simplicity. Limed oak engineered flooring finishes create a tranquil and calming, airy aesthetic, ideal for Japandi flooring and minimalist interiors.

#### INTERIOR DESIGN STYLES

MODERN COASTAL | NEW SCANDI | MINIMALISM | SERENITY  
SIMPLICITY | MEDITERRANEAN

Left project: Polzeath Beach Cottages. Floor: Manoa Oak. Above: Rasselas Oak



Above: Manoa Oak



**CON2001  
Manoa Oak**  
Engineered Medium Plank  
Finish: Brushed & Matt Lacquered  
Grade: Rustic  
Thickness: 14 mm  
Size: 180 (W) mm x 2200 (L) mm  
Wear Layer: 2.5 mm  
Profile: 5G



**CON2002  
Tanami Oak**  
Engineered Medium Plank  
Finish: Brushed & Natural Oiled  
Grade: Rustic  
Thickness: 14 mm  
Size: 180 (W) mm x 2200 (L) mm  
Wear Layer: 2.5 mm  
Profile: 5G



**CON2003  
Rasselas Oak**  
Engineered Medium Plank  
Finish: Brushed & Matt Lacquered  
Grade: Rustic  
Thickness: 14 mm  
Size: 180 (W) mm x 2200 (L) mm  
Wear Layer: 2.5 mm  
Profile: 5G



**CON2004  
Mojave Oak**  
Engineered Medium Plank  
Finish: Brushed & Matt Lacquered  
Grade: Select  
Thickness: 14 mm  
Size: 180 (W) mm x 2200 (L) mm  
Wear Layer: 2.5 mm  
Profile: 5G



**CON3001  
Baltra Oak**  
Engineered Medium Plank  
Finish: Hand Scraped, Undulating & UV Oiled  
Grade: Rustic  
Thickness: 18 mm  
Size: 190 (W) mm x 1900 (L) mm  
Wear Layer: 4 mm  
Profile: T&G



**CON3002  
Seba Oak**  
Engineered Medium Plank  
Finish: Brushed & UV Oiled  
Grade: Rustic  
Thickness: 18 mm  
Size: 190 (W) mm x 1900 (L) mm  
Wear Layer: 3 mm  
Profile: T&G



1



1



1



3



3



3



3



2

# CLIMATE

SPACE. STYLE. PURPOSE

## 1. POLZEATH BEACH COTTAGES, CORNWALL

**Location:** Cornwall  
**Application:** Residential  
**Floor:** Manoa Oak  
**Contractor:** Elsante

Picturesque coastal surroundings and an abundance of natural light were central to the architectural design; along with the floor to ceiling windows and neutral colour palette, the flooring was integral to achieving the light and spacious interior. Manoa Oak was used throughout, complementing the chic interior decor and golden sandy views, creating a warm, inviting atmosphere.

## 2. LIBERTON BARN, EDINBURGH

**Location:** Edinburgh  
**Application:** Residential  
**Floor:** Manoa Oak  
**Contractor:** Elsante

Picturesque coastal surroundings and an abundance of natural light were central to the architectural design; along with the floor to ceiling windows and neutral colour palette, the flooring was integral to achieving the light and spacious interior. Manoa Oak was used throughout, complementing the chic interior decor and golden sandy views, creating a warm, inviting atmosphere.

## 3. 95 PECKHAM ROAD, LONDON

**Location:** London  
**Application:** Residential  
**Floor:** Rasselas Oak

Located in the bustling London borough of Southwark, the award-winning 95 Peckham Road is a striking new residential building comprising 33 luxury flats. The development takes the form of a mansion block style apartment building with a communal tree-lined courtyard. Marrying the building's interiors with the breath-taking postmodernist exterior was a top priority. To achieve this goal, the team used Rasselas Oak flooring throughout, the light-toned wood gives the illusion of space, while the rustic grade reflects the charming character of the building.



# ANTIQUE

## COLLECTION



### AGED STYLE HARDWOOD & OLD-STYLE TRADITIONAL FLOORING

The Antique collection is a character-rich range celebrating aged style hardwood flooring. Featuring deep tones and subtle peg details, it delivers a traditional and refined aesthetic with modern stability.

Perfect for maximalist interior design and traditional arts & crafts flooring.

### INTERIOR DESIGN STYLES

ARTS & CRAFTS | VICTORIA WITH A TWIST | REGAL REVIVAL | TRADITIONAL REDEFINED  
NOSTALGIC ACCENTS | TRADITIONAL RUSTIC

Left project: Maggie Dicksons, Edinburgh. Floor: Finger Jointed Oak. Above: Westray Oak



Above: Pinzon Oak.



**CON3007  
Pinzon Smoked Oak**  
Engineered Medium Plank  
Finish: Handscraped & UV Oiled  
Grade: Rustic  
Thickness: 18 mm  
Size: 190 (W) mm x 1900 (L) mm  
Wear Layer: 3 mm  
Profile: T&G



**CLA3006  
Moray Smoked Oak**  
Engineered Medium Plank  
Finish: Brushed & UV Oiled  
Grade: Rustic  
Thickness: 20 mm  
Size: 190 (W) mm x 1900 (L) mm  
Wear Layer: 6 mm  
Profile: T&G



**CON3008  
Aldwych Smoked Oak**  
Engineered Medium Plank  
Finish: Handscraped & UV Oiled  
Grade: Rustic  
Thickness: 20 mm  
Size: 190(W) mm x 1900 (L) mm  
Wear Layer: 3 mm  
Profile: T&G



**CON2009  
Finsbury Oak**  
Engineered Medium Plank  
Finish: Brushed & Matt Lacquered  
Grade: Super Rustic  
Thickness: 14 mm  
Size: 180 (W) mm x 2200 (L) mm  
Wear Layer: 2.5 mm  
Profile: 5G

## ANTIQUE



**CLA1008**  
**Westray Oak**

Engineered Medium Plank

Finish: Brushed & UV Oiled  
Grade: Super Rustic  
Thickness: 14 mm  
Size: 190 (W) mm x 1900 (L) mm  
Wear Layer: 3 mm  
Profile: 5G



**CON2010**  
**Adelphi Oak**

Engineered Medium Plank

Finish: Brushed & Matt Lacquered  
Grade: Rustic  
Thickness: 14 mm  
Size: 180 (W) mm x 2200 (L) mm  
Wear Layer: 2,5 mm  
Profile: 5G



**CON3010**  
**Hackfall Smoked Oak**

Engineered Medium Plank

Finish: Handscraped & UV Oiled  
Grade: Rustic  
Thickness: 18 mm  
Size: 190 (W) mm x 1900 (L) mm  
Wear Layer: 3 mm  
Profile: T&G



**RFD1005**  
**Hatfield Oak**

Solid Narrow Plank

Finish: Hand-scraped & Lacquered  
Grade: Rustic  
Thickness: 18 mm  
Size: 150 (W) x Random (L) mm  
Profile: T&G



**RFD1006**  
**Dark Finger Jointed Oak**

Solid, 3-Strip Plank

Finish: Handscraped & Lacquered  
Grade: Rustic  
Thickness: 18 mm  
Size: 203 (W) mm x 2200 (L) mm  
Profile: T&G



**RFD1008**  
**Finger Jointed Oak**

Solid, 3-Strip Plank

Finish: Handscraped & Lacquered  
Grade: Rustic  
Thickness: 18 mm  
Size: 203 (W) mm x 2200 (L) mm  
Profile: T&G

Right: Westray Oak.





1



2



3



1



1



2



2



4

# ANTIQUE

SPACE. STYLE. PURPOSE

## 1. NO.17 THE PROMENADE

**Location:** Oban  
**Application:** Boutique Hotel  
**Floor:** Dark Finger Jointed Oak

No. 17 The Promenade Hotel offer contemporary luxury in Oban, Scotland's chicest coastal destination. To enhance the bold and colourful interiors our Bespoke Dark Finger Jointed Oak flooring was chosen. The deep, rich tones of this bespoke flooring create a striking statement in every room, with visible knots and splits adding character and a uniquely aged charm, complementing the vibrant coastal surroundings.

## 2. NORTH WESTWARD HO, MANCHESTER

**Location:** Manchester  
**Application:** Craft beer pub  
**Architect:** Up North  
**Contractor:** Clarke Gough

Combining the appearance of quintessentially British establishments with modernised aspects, this is a distinctive space that warmly welcomes visitors. Our Bespoke Adelphi Oak flooring, expertly installed by Clarke Gough, was fitted throughout to complement the pub's classic ambience. With its dark coffee tones and unique knots and splits, the flooring adds character and an aged feel to the space, enhancing the overall charm of the pub.

## 3. ARGYLL WORKS, GLASGOW

**Location:** Glasgow  
**Application:** Modern Workplace  
**Floor:** Pinzon Oak  
**Contractor:** Bridgewater Building Solutions

The refurbishment of Argyll Works has transformed a key commercial address in Glasgow's City Centre into a striking modern workspace. Located on the bustling Argyll Street, this revitalised property now offers businesses a contemporary, functional environment while celebrating its connection to the city's dynamic energy. The reimagined interiors feature clean lines, natural materials, and a focus on creating an inviting yet professional atmosphere. This careful design approach delivers a commercial space that is both practical and stylish.

## 4. MAGGIE DICKSONS, EDINBURGH


**Location:** Edinburgh  
**Application:** Traditional pub  
**Floor:** Finger Jointed Oak  
**Specifier:** Grant Rough  
**Installer:** Francey Joiners

Nestled in the heart of Edinburgh's vibrant Haymarket area, Maggie Dickson is a quintessential Scottish pub, celebrated for its rich heritage and welcoming atmosphere. Recently, the pub underwent a significant renovation, that seamlessly blends high-quality design and materials, bringing a fresh new look to its timeless appeal. Spanning the entire space, the solid oak flooring creates a seamless transition between the classic and contemporary elements of the venue, offering a sophisticated yet comfortable setting for visitors.



# NATURAL

## COLLECTION



### NATURAL OAK FLOORING FOR MODERN FARMHOUSE & WARM MINIMALIST INTERIORS

The Natural collection features warm, organic, honey coloured wood flooring for a natural, unprocessed look that offers a luxury and grounded appeal. With subtle knots and authentic colour, this natural oak flooring is ideal for modern farmhouse flooring and Zen-inspired interior design.

#### INTERIOR DESIGN STYLES

MID-CENTURY MODERN | MODERN FARMHOUSE | WARM MINIMALISM / ZEN

Left: Sahara Oak. Above: Carron Oak



Above: Chiswick Oak.




**CON2005  
Sahara Oak**  
Engineered Medium Plank  
Finish: Brushed & Matt Lacquered  
Grade: Select  
Thickness: 14 mm  
Size: 180 (W) mm x 2200 (L) mm  
Wear Layer: 2.5 mm  
Profile: 5G



**CON2006  
Holborn Oak**  
Engineered Medium Plank  
Finish: Brushed & Matt Lacquered  
Grade: Rustic  
Thickness: 14 mm  
Size: 180 (W) mm x 2200 (L) mm  
Wear Layer: 2.5 mm  
Profile: 5G



**CON2007  
Chiswick Oak**  
Engineered Medium Plank  
Finish: Brushed & UV Oiled  
Grade: Rustic  
Thickness: 14 mm  
Size: 180 (W) mm x 2200 (L) mm  
Wear Layer: 2.5 mm  
Profile: 5G



**CLA1004  
Easdale Oak**  
Engineered Narrow Plank  
Finish: Smooth & UV Oiled  
Grade: Rustic  
Thickness: 14 mm  
Size: 150 (W) mm x 1900 (L) mm  
Wear Layer: 3 mm  
Profile: 2G



**CLA1005  
Uist Oak**  
Engineered Narrow Plank  
Finish: Smooth & Matt Lacquered  
Grade: Rustic  
Thickness: 14 mm  
Size: 150 (W) mm x 1900 (L) mm  
Wear Layer: 3 mm  
Profile: 2G



**CLA1009  
Arran Oak**  
Engineered Medium Plank  
Finish: Brushed & UV Oiled  
Grade: Super Rustic  
Thickness: 14 mm  
Size: 190 (W) mm x 1900 (L) mm  
Wear Layer: 3 mm  
Profile: 5G

## NATURAL



**CLA2004**  
**Saddle Oak**

Engineered Narrow Plank

Finish: Smooth & Lacquered  
Grade: Natural  
Thickness: 18 mm  
Size: 150 (W) x Random (L) mm  
Wear Layer: 4 mm  
Profile: T&G



**CLA2005**  
**Cairnwell Oak**

Engineered Narrow Plank

Finish: Brushed & UV Oiled  
Grade: Natural  
Thickness: 18 mm  
Size: 150 (W) x Random (L) mm  
Wear Layer: 4 mm  
Profile: T&G



**CLA3004**  
**Carron Oak**

Engineered Medium Plank

Finish: Brushed & UV Oiled  
Grade: Rustic  
Thickness: 20 mm  
Size: 190 (W) mm x 1900 (L) mm  
Wear Layer: 4 mm  
Profile: T&G



**CLA3007**  
**Glenmore Oak**

Engineered Medium Plank

Finish: Smooth & UV Oiled  
Grade: Natural  
Thickness: 20 mm  
Size: 190 (W) mm x 1900 (L) mm  
Wear Layer: 6 mm  
Profile: T&G



**RFD1011**  
**Burton Oak**

Solid Narrow Plank

Finish: Brushed & UV Oiled  
Grade: Rustic  
Thickness: 18 mm  
Size: 150 (W) x Random (L) mm  
Profile: T&G



**RFD1012**  
**Witley Oak**

Solid Narrow Plank

Finish: Smooth & Matt Lacquered  
Grade: Rustic  
Thickness: 18 mm  
Size: 150 (W) x Random (L) mm  
Profile: T&G

Right project: Horace Mills. Floor: Chiswick Oak





1



2



2



2



2



3



4



1

# NATURAL

SPACE. STYLE. PURPOSE

## 1. HORACE MILLS, NORTH YORKSHIRE

**Location:** Cononley, North Yorkshire  
**Application:** Residential  
**Floor:** Chiswick Oak  
**Developer:** Candelisa

Horace Mills is a historic building with an innovative and contemporary new lease of life. Formerly a textile mill, the site now consists of luxury apartments and penthouses. Fitted throughout in Chiswick Oak flooring to help achieve the contemporary feel of each apartment, this engineered white oak flooring pairs perfectly with the various different textiles in each space such as the dark kitchen interiors, the rich tones of the panelled wooden doors and the bright, tiled bathrooms.

## 2. PARK HILL, SHEFFIELD

**Location:** Sheffield  
**Application:** Residential & Hospitality  
**Floor:** Bespoke Oak  
**Developer:** Urban Splash  
**Architect:** Architect

Europe's largest listed building, Park Hill, in Sheffield, has been repurposed into spacious flats, a workplace and social hub overlooking the city. The latest phase was designed by Stirling Prize winning architects Mikhail Riches, and added an additional 195 homes and 20,000 sq. ft of workspace. Specifying a bespoke, Rustic Grade, whitewashed oak, the flooring compliments the character of the new phase as well as being durable enough to withstand constant use.

## 3. LOCKE APARTMENTS, LISBON

**Location:** Lisbon  
**Application:** Residential  
**Floor:** Carron Oak  
**Design:** Lázaro Rosa-Violán and Post Company

Located near Lisbon's iconic Avenida da Liberdade, the Locke de Santa Joana aparthotel exudes both style and sophistication, transforming what was once a 17th-century convent into a modern space with 370 apartments, co-working areas, restaurants, and bar spaces. The selection of Carron Oak flooring played a crucial role in realising the designer's vision. The natural tones of the flooring infuse the space with a gentle warmth, while its sleek and modern appearance lends a timeless elegance to the overall design.our Bespoke Dark Finger Jointed Oak flooring was chosen.


## 4. MOWGLI RESTAURANTS

**Location:** Throughout the UK  
**Application:** Restaurants  
**Floor:** Chiswick Oak

Created by chef and food writer, Nisha Katona, MBE, Mowgli Street Food is renowned for its Indian home-cooked dishes and street food. With inspiration taken from traditional Indian food markets, each venue creates a distinct experience that pays homage to nature and bygone eras with deep greens, golden accents and raw oak furnishings. To complement the enchanting décor of each restaurant, Atkinson & Kirby's Chiswick Oak was selected to be installed throughout Mowgli's Liverpool, Oxford, Manchester, Sheffield, Cheltenham, Bristol, and Birmingham locations.

# PRESTIGE

## COLLECTION



### PREMIUM LUXURY FLOORING OPTIONS, REFINED FOR HIGH-END INTERIORS

The Prestige collection features scarce select-grade parquet and highly sort after extra-wide planks defined by refined character and luxury finish. Inspired by Art Deco, this high-end wood flooring range is perfect for premium developments and spaces. It offers elegant wood flooring suitable for minimalist flooring concepts.

### INTERIOR DESIGN STYLES

SOFT RETRO | ART DECO REVIVAL | QUIET LUXURY | PLAYFUL SOPHISTICATION  
HOLLYWOOD | BAUHAUS | MIAMI NICE | 70S REVIVA | ART NOUVEAU

Left: & above: Harlesden Smoked Oak.





Above: Harlesden Smoked Oak.



**PAR1006  
Kensington Oak**  
Engineered Narrow Herringbone  
Finish: Smooth & Natural Oil Protect  
Grade: Select  
Thickness: 11 mm  
Size: 70 (W) mm x 500 (L) mm  
Wear Layer: 3.6 mm  
Profile: T&G



**PAR1007  
Harlesden Smoked Oak**  
Engineered Narrow Herringbone  
Finish: Smooth & Natural Oil Protect  
Grade: Select  
Thickness: 11 mm  
Size: 70 (W) mm x 500 (L) mm  
Wear Layer: 3.6 mm  
Profile: T&G



**PAR1008  
Sloane Smoked Oak**  
Engineered Narrow Herringbone  
Finish: Smooth & Natural Oil Protect  
Grade: Select  
Thickness: 11 mm  
Size: 70 (W) mm x 500 (L) mm  
Wear Layer: 3.6 mm  
Profile: T&G




**Our Prestige Collection is expanding.  
Exquisite and rare super-wide planks are coming soon.  
These rare boards are perfect for the ultimate expression  
in luxury interior design, creating a sense  
of exclusivity and grandeur.**



# TIMEWORN

## COLLECTION



### HAND FINISHED & WEATHERED OAK FLOORING FOR WABI-SABI AND CHARACTER INTERIORS

The Timeworn collection features rustic, beautifully hand-finished, weathered & smoked, rich in earthy tones and distressed, undulating wood flooring textures. It captures the charm of aged timber, perfect for wabi-sabi interior design, cottagecore spaces, and rustic industrial flooring options.

### INTERIOR DESIGN STYLES

WILDER | COTTAGECORE | MODERN FARMHOUSE | NEO-INDUSTRIAL | BRUTALISM  
RUSTIC | JAPANDI | FRENCH COUNTRY

Left project: Avro Apartments, Manchester. Floor: Bespoke White-Washed Rustic Oak. Above: Wyvis Oak



Above: Sandur Oak



**CLA2010  
Wyvis Smoked Oak**  
Engineered Narrow Plank  
Finish: Brushed & Hardwax Oiled  
Grade: Rustic  
Thickness: 18 mm  
Size: 150 (W) mm x Random (L) mm  
Wear Layer: 4 mm  
Profile: T&G



**CLA3008  
Ness Smoked Oak**  
Engineered Medium Plank  
Finish: Brushed & UV Oiled  
Grade: Rustic  
Thickness: 20 mm  
Size: 190 (W) mm x Random (L) mm  
Wear Layer: 6 mm  
Profile: T&G



**CON3009  
Sandur Smoked Oak**  
Engineered Medium Plank  
Finish: Hand finished, Undulating & UV Oiled  
Grade: Rustic  
Thickness: 18 mm  
Size: 190 mmm (W) x 1900 (L) mm  
Wear Layer: 3 mm  
Profile: T&G



**CON3006  
Rydal Oak**  
Engineered Medium Plank  
Finish: Hand finished, Undulating & UV Oiled  
Grade: Rustic  
Thickness: 18 mm  
Size: 190 mmm (W) x 1900 (L) mm  
Wear Layer: 3 mm  
Profile: T&G



**CON3003  
Grasmere Smoked Oak**  
Engineered Medium Plank  
Finish: Hand finished, Undulating & UV Oiled  
Grade: Rustic  
Thickness: 18 mm  
Size: 190 mmm (W) x 1900 (L) mm  
Wear Layer: 4 mm  
Profile: T&G



**CON3005  
Wyndham Oak**  
Engineered Medium Plank  
Finish: Hand finished, Undulating & UV Oiled  
Grade: Rustic  
Thickness: 18 mm  
Size: 190 mmm (W) x 1900 (L) mm  
Wear Layer: 4 mm  
Profile: T&G



Our Timeworn Collection is expanding. More beautifully weathered and hand finished planks are coming soon. These characterful boards are perfect for industrial architecture and interior design seeking to blend seamlessly with existing features, creating a perfect marriage with existing features and spaces with stories to tell.



1



2



3



1



4



4



5



2

# TIMEWORN

SPACE. STYLE. PURPOSE

## 1. AVRO APARTMENTS, MANCHESTER

**Location:** Manchester  
**Application:** Residential  
**Floor:** Bespoke White-Washed Rustic Oak

**Architect:** Stephenson Hamilton Risley Studio

**Application:** Urban Splash Studio

These recently refurbished apartments provide historic luxury in one of the city's last remaining untouched Victorian mills, yet still pay homage to the building's industrial roots. The bespoke hand scraped white-washed rustic oak flooring was a clever design choice, with the delicate whitewashed oil of the Oak enhancing the natural character knots, splits and grain variation. Its subtle grey hue provides a modern foundation, whilst the rustic grade adds character that compliments the historic surroundings.

## 2. WUNDERLOCKE, MUNICH

**Location:** Munich, Germany  
**Application:** Hotel  
**Floor:** Bespoke Ness Smoked Oak

An urban oasis in the heart of the Bavarian capital, Wunderlocke creates a tranquil and inclusive space. Its natural elements combined with streamlined interiors inspired by mid-century design pay homage to both the neighbourhood's industrial history and its community of artists and creatives. To complement the unique appearance of the building, a bespoke design of Atkinson & Kirby's Ness Smoked Oak was installed throughout.

## 3. ZANZIBAR LOCKE, DUBLIN

**Location:** Dublin  
**Application:** Aparthotel  
**Floor:** Ness Smoked Oak

Dublin-based aparthotel, Zanzibar Locke's retro living spaces and inviting communal areas create the perfect central homestead for guests. Ness Smoked Oak flooring was chosen to be fitted throughout the building, with its filled knots and splits adding a beautifully aged look that works well with the surrounding modern interiors. The engineered hardwood flooring complements the varying tones found within each area, from the rich, honey toned ceilingpanels, to the light washed oak furniture.

## 4. WHITWORTH LOCKE, MANCHESTER

**Location:** Manchester  
**Application:** Hotel  
**Floor:** Ness Smoked Oak

Paying homage to Manchester's industrial past, each of Whitworth Locke's 160 apartments have been individually designed to be sympathetic to the building's original features. Particularly notable are the original factory windows, which create a contemporary warehouse-style aesthetic in each room. To complement the grounded and earthy colour palette, rustic grade Ness Smoked Oak flooring was selected to run throughout all 160 apartments. As a nod to the building's historic past, the aged oak flooring was laid in a laddered pattern, offering a traditional parquet finish.

## 5. BECKETT LOCKE, DUBLIN


**Location:** Dublin  
**Application:** Aparthotel  
**Floor:** Wyndham Oak

Designed to echo the busy atmosphere of a market hall, the aparthotel is the ideal setting for socialising and productivity. Wyndham Oak from Atkinson & Kirby's Contemporary collection was the perfect choice of character hardwood flooring with just enough imperfections to complement the aparthotel's North Dock's backdrop. A bespoke UV Oiled finish was used to provide a strong surface finish that will ensure the character of the wood is maintained over time.



# PRINCIPLE

## COLLECTION



### VERSATILE, PRACTICAL & AFFORDABLE FLOORING FOR EVERYDAY HOMES

The Principle collection is an adaptable, entry-level luxury range. This functional flooring is practical, versatile, and the most affordable flooring option, providing a clean, modern look and reliability for everyday homes and trade use.

#### INTERIOR DESIGN STYLES

THRIFTY CHIC | DO-IT-YOURSELF | BEDSIT LAND | REGENERATION  
FIRST HOMES | NEO URBANISM

Left: Lismore Oak. Above: Iona Oak

## PRINCIPLE


**CLA1001**  
**Isla Oak**

Engineered Narrow Plank

Finish: Smooth & Matt Lacquered  
 Grade: Rustic  
 Thickness: 14 mm  
 Size: 125 (W) mm x Random (L) mm  
 Wear Layer: 3 mm  
 Profile: 2G


**CLA1002**  
**Iona Oak**

Engineered Narrow Plank

Finish: Brushed & UV Oiled  
 Grade: Rustic  
 Thickness: 14 mm  
 Size: 125 (W) mm x Random (L) mm  
 Wear Layer: 3 mm  
 Profile: 2G


**CLA1003**  
**Lismore Oak**

Engineered Narrow Plank

Finish: Brushed & UV Oiled  
 Grade: Rustic  
 Thickness: 14 mm  
 Size: 150 (W) mm x 1900 (L) mm  
 Wear Layer: 3 mm  
 Profile: 5G


**CLA1010**  
**Jura Oak**

Engineered 3 Strip Plank

Finish: Smooth & UV Oiled  
 Grade: Rustic  
 Thickness: 14 mm  
 Size: 207 (W) mm x 2200 (L) mm  
 Wear Layer: 3 mm  
 Profile: 5G


**DIY1001**  
**Tarbert Oak**

Engineered Narrow Plank

Finish: Brushed & UV Oiled  
 Grade: Super Rustic  
 Thickness: 14 mm  
 Size: 150 (W) mm x Random (L) mm  
 Wear Layer: 3 mm  
 Profile: 2G


**CLA2001**  
**Nevis Oak**

Engineered Narrow Plank

Finish: Smooth & Lacquered  
 Grade: Natural  
 Thickness: 18 mm  
 Size: 125 (W) mm x Random (L) mm  
 Wear Layer: 4 mm  
 Profile: T&G


**CLA1006**  
**Harris Oak**

Engineered Medium Plank

Finish: Brushed & UV Oiled  
 Grade: Rustic  
 Thickness: 14 mm  
 Size: 190 (W) mm x Random (L) mm  
 Wear Layer: 3 mm  
 Profile: 2G


**CLA1007**  
**Lewis Oak**

Engineered Narrow Plank

Finish: Smooth & Matt Lacquered  
 Grade: Rustic  
 Thickness: 14 mm  
 Size: 150 (W) mm x Random (L) mm  
 Wear Layer: 3 mm  
 Profile: 2G


**CLA2002**  
**Benmore Oak**

Engineered Narrow Plank

Finish: Brushed & Lacquered  
 Grade: Natural  
 Thickness: 18 mm  
 Size: 125 (W) mm x Random (L) mm  
 Wear Layer: 4 mm  
 Profile: T&G


**CLA2003**  
**Lomond Oak**

Engineered Narrow Plank

Finish: Brushed & UV Oiled  
 Grade: Natural  
 Thickness: 18 mm  
 Size: 125 (W) mm x Random (L) mm  
 Wear Layer: 4 mm  
 Profile: T&G



# PERFORMANCE

## COLLECTION



A SELECTION OF FLOORS CONSTRUCTED ESPECIALLY FOR THE DEMANDS OF SPORTING OR OTHER HIGH ENERGY ACTIVITIES

Solid timber floors selected for gyms, sports halls and dance studios.

These are 100% hardwoods, identified for their elastic qualities and fine finish to provide the ideal surface for high performing activity.

### APPLICATIONS

GYMS | SPORTS HALLS | DANCE STUDIOS

left: & above: Junckers Sylvasport Beech Premium.

PERFORMANCE




**CSF1003**  
Junckers Sylvasport Beech -  
Champion

Commercial Sports Flooring  
Finish: Silk matt lacquered  
Grade: Champion  
Thickness: 22 mm  
Size: 129 (W) mm x 3700 (L) mm  
Guarantee: Junckers 25 years



**CSF1001**  
Junckers Sylvasport Beech -  
Premium

Commercial Sports Flooring  
Finish: Silk matt lacquered  
Grade: Premium  
Thickness: 22 mm  
Size: 129 (W) mm x 3700 (L) mm  
Guarantee: Junckers 25 years



**CSF1002**  
Junckers Sylvasport Beech -  
Club

Commercial Sports Flooring  
Finish: Silk matt lacquered  
Grade: Club  
Thickness: 22 mm  
Size: 129 (W) mm x 3700 (L) mm  
Guarantee: Junckers 25 years



**CSF1001SS**  
Junckers Sylvasport Beech -  
Premium Short Stave

Commercial Sports Flooring  
Finish: Silk matt lacquered  
Grade: Premium  
Thickness: 22 mm  
Size: 129 (W) mm x 3700 (L) mm  
Guarantee: Junckers 25 years




**CSF1002SS**  
Junckers Sylvasport Beech -  
Club Short Stave

Commercial Sports Flooring  
Finish: Silk matt lacquered  
Grade: Club  
Thickness: 22 mm  
Size: 129 (W) mm x 3700 (L) mm  
Guarantee: Junckers 25 years



**CSF1003M**  
Junckers Sylvasport Maple -  
Champion

Commercial Sports Flooring  
Finish: Silk matt lacquered  
Grade: Champion  
Thickness: 22 mm  
Size: 129 (W) mm x 3700 (L) mm  
Guarantee: Junckers 25 years



**CSF1002M**  
Junckers Sylvasport Maple -  
Club


Commercial Sports Flooring  
Finish: Silk matt lacquered  
Grade: Club  
Thickness: 22 mm  
Size: 129 (W) mm x 3700 (L) mm  
Guarantee: Junckers 25 years



**CSF1002MSS**  
Junckers Sylvasport Maple -  
Club Short Stave


Commercial Sports Flooring  
Finish: Silk matt lacquered  
Grade: Club  
Thickness: 22 mm  
Size: 129 (W) mm x 3700 (L) mm  
Guarantee: Junckers 25 years

PERFORMANCE




**JUNCKERS ACCESSORIES**  
Junckers full range of accessories available on request - including; battens, header joints, clips, skirting, pro-foam, adhesives and more


## Be creative with parquet




**Square Basket**




**Diagonal Basket**




**Diagonal Herringbone**




**45° Chevron flooring**




**Herringbone**




**Double Herringbone**




**Brick Half Bond**




**Brick Pattern\***




**Decking**




**Offset**



**Diagonal Panel Ship Deck**




**Chevron horizontally installed**



**Multi-coloured Example**

All our floors are made from real wood, the beauty of natural variation can be expected in all our floors. Be sure to consider this before installation.



**Parallel Pattern\***

### INSPIRING DESIGNS

The flexibility of parquet opens up a whole new vista of possibilities, creating opportunities for unique patterns of timbers and tones. Here are just a few suggestions to get you thinking.

### MIX PARQUET AND PLANK

Mix it up with matching parquet and plank designs. Get zonal with adjoining rooms, using different floor patterns to create separation. Or maybe have parquet in the centre with a matching plank border. Do it your own way safe in the knowledge that the planks and the parquet will blend together seamlessly for a superior finish.

\*Some designs are only available with T&G. Please check individual products.



# MA&KE

**Craftmanship Becomes Distinction**

Hardwood floors for projects that demand the exceptional.

Contact our friendly team of experts to find out more: [specification@akirby.co.uk](mailto:specification@akirby.co.uk)

## You see it. We'll match it

### BESPOKE FLOORING

We offer a bespoke flooring service for large scale projects and developments, our in-house Specification Team work directly with architects, designers and contractors. We are able to source and supply bespoke hardwood flooring tailored to you or your clients individual requirements and specification. We work with the highest quality flooring suppliers across the world and these strong connections mean we are able to provide you with this unique service.

You can choose to customise one of our existing floors, or create a new floor all together. You can choose the design, style, colour, texture, finish, and much more.

### 1 GET IN TOUCH

Our in-house Specification Team are able to help your vision become a reality. Get in touch with us with your specification, requirements or ideas and our expert team will be able to work with you to help build up a picture of exactly what you need for your project.

### 2 ARCHITECTS SAMPLE

We contact our suppliers to generate a quote and lead time. Once you are happy with these, we work with our suppliers to create an architects board exactly to your requirements. We then present the bespoke board to you, you can either approve the board or choose to make some changes.

### 3 FULL PRODUCTION

Once you have approved the architects board, we proceed into full production to craft your bespoke flooring and deliver your flooring to site. From here we can advise on installation so your project runs smoothly, as well as best maintenance practices so your floor stands the test of time in style and durability.

Scan the QR code or visit: [www.akirby.co.uk/project-enquiry](http://www.akirby.co.uk/project-enquiry)



# Creative space

## START YOUR PROJECT IN STYLE

We are pleased to be a partner at the Material Source Studio in central Glasgow. More than 30 brands exhibiting their products in an inspirational setting with plenty of meeting spaces and even a theatre for large presentations. It's the ideal space when you're considering a new project, we'd be happy to meet up there to discuss options and possibilities.

Visit: [commercial.akirby.co.uk/project-enquiry](http://commercial.akirby.co.uk/project-enquiry)

## LUNCH + LEARN

We are one of the original partners with a product display at the new Material Source hub in the centre of Glasgow. An inspirational destination for architects, designers and makers, there is a wealth of materials to be explored as well as meeting rooms, studios, library and a 80 seat theatre. Packed with products, creativity and imagination, it's a great place to discuss your projects.

Email: [specification@akirby.co.uk](mailto:specification@akirby.co.uk)



Start planning your project today





Scan for  
detailed guides

Precise planning, perfect detailing and high quality flooring accessories defines the calibre of a flooring project. Equally, those unseen components such as underlay, fixings and adhesives are none-the-less essential to the integrity of your work. Ensure your flooring is installed and finished to the highest of standards by considering our best practices.

### PRE-INSTALLATION

Planning is the key to a successful flooring installation. Make sure to take each of these points into account before installation to ensure that your floor remains in pristine condition.

#### Acclimatisation and Storage

Wood flooring needs to acclimatise to ensure installation runs smoothly and to prevent problems in the future. We recommend that you store the products in a room with the same or similar humidity to the room they will be installed in for 48 - 72 hours prior to installation. Some floors may require up to 5 days. The packs should be stacked flat on the ground, they should not be stored upright, such as leaning against a wall.

Flooring must be stored indoors in a wind and watertight area with the heating on, they should be stacked in the original packaging. Temperature should be maintained at around 18°C to 20°C, with the humidity range at 45-60% RH.

#### Moisture Checks

Upon delivery, check the wood flooring moisture content with a moisture meter to establish a baseline for required acclimatisation. The conditions of the area you will be storing the flooring packs, should also be checked for excessive moisture prior to installation. Make sure to complete moisture checks prior to installation.

#### Subfloor

The subfloor must be dry, flat, level, sound and free from dust and debris. If this is not the case the subfloor should be prepared so that it meets this criteria. Poor preparation could affect the performance of your new floor.

#### Underfloor Heating

Atkinson & Kirby only recommends hardwood flooring be installed over water based underfloor heating systems. The maximum temperature of the subfloor at the point of contact should be 27°C. To ensure this maximum temperature is adhered to, we recommend the use of an underfloor heating system that is controlled by floor sensors allowing for a gradual increase in temperature. Underfloor heating must be properly commissioned with correct heat up and heat down carried out. Solid wood flooring is not suitable for underfloor heating.

#### Underlay

Underlay is laid beneath flooring, choosing a high quality underlay will extend the life of your new flooring. Underlay improves insulation and offers sound proofing qualities, ensuring cushioning and comfort underfoot.

### INSTALLATION

The choice of installation method depends on the specific site conditions, the flooring you have selected, and the type of existing or proposed subfloor. Your installer can advise which is best for your specific requirements.

#### Stuck Down

Both solid and engineered floors can be glued down provided that the sub floor is dry, flat, level, sound and even. Stuck down is the best method for heat transference, so ideal in conjunction with water based underfloor heating systems.

#### Floated

Only engineered tongue and groove and 'click' flooring can be floated, meaning that it need not be nailed or glued down. Floating is the most efficient way of installation. The subfloor again should be dry flat, level, sound and even.

#### Secret Nailed

Both tongue and groove engineered and solid flooring can be secret nailed. Secret nailing is ideal for wood based subfloors.

#### Expansion Gap

Dependent on the design of the floor a waste factor of 5-10% should be taken into account. As a general rule we recommend at least 10-15mm expansion gap around the perimeter of the room, at doorways, around pipes and any fixed objects. These expansion gaps can be covered by using a skirting board, and other mouldings.

#### Installations on Stairs

Flooring on stairs must be fully nailed to the stair treads. Stair nosings should be fixed using screws or nails also. The choice of installation method depends on the specific variables and the requirements of the site and the type of floor to be installed. Your installer should assess the criteria and advise.

### FLOORING ACCESSORIES

To ensure your finished floor demonstrates quality in every detail, we offer a full range of adhesives, underlays and flooring accessories, such as edge trims, door profiles and pipe covers. You can see the full range at [www.akirby.co.uk](http://www.akirby.co.uk).

### MAINTENANCE

Hardwood flooring can last a lifetime with proper care and maintenance, if you take care of your floor you may never need to replace it. There are a few general good practices to follow when caring for your hardwood floor.

#### Do

- Sweep the floor daily with a soft brush.
- Wipe up any spilt liquids immediately, as wood will absorb liquids and expand.
- Clean the floor regularly.
- Use protective pads under all furniture legs.
- Use barrier mats at all external doors.
- Protect your floor from grit.
- Keep the ambient temperature to 18-20°C.

#### Don't

- Allow liquid to stand on the floor, this can cause the wood to expand.
- Use a wet mop or steam mop to clean the floor. Always use a damp mop.
- Use abrasive cleaners, these will damage the finish.
- Increase the temperature above 27°C on underfloor heating.
- Allow sharp or abrasive objects to come into contact with the floor.
- Drag furniture across the floor.

#### Routine Maintenance

Dirt and grit can cause damage to all wooden floors. Make sure that a sturdy doormat is in place both inside and outside all exterior access doorways. Always protect the floor by using felt pads on furniture legs. Avoid sharp objects, such as pet claws and stiletto heels, which can cause damage to your floor. We recommend the products by WOCA for periodic cleaning of hardwood floors. Please refer to the manufacturer's instructions when using any cleaning products.

As with all hardwood floors maintenance is the key to lifelong service and beauty. By following these simple maintenance guidelines you will maintain the natural beauty of the floor and it will remain attractive and give many years of use.

**For more in-depth installation and maintenance advice specific to your floor, visit: [www.akirby.co.uk/resources/downloads](http://www.akirby.co.uk/resources/downloads) to download our full guides, or you can get in touch with our expert team on 01695 573234.**



PROFILES

Our range of profiles are available in oak finished with a UV Satin Lacquer, or unfinished for whatever varnish or paint is required. Stair nosings in unfinished or UV stain lacquer are available as stock.



**Scotia**

Scotia mouldings are used to cover the expansion gap without removing the existing skirting board.



**End Cap**

End cap trims are recommended to be used where the solid or engineered floor meets an external door. It can also be used if the flooring runs up to a step or if the flooring needs to run up to a definitive point.



**Ramp**

Ramp mouldings are great for bridging the gap between two areas of flooring which change slightly in height.



**Threshold**

Threshold mouldings are perfect for joining gaps between two floors that are the same level, giving your floor a seamless finish.



**Nosing**

Stair nosing comes in especially handy when fitting staircases that need a curved edge and a slight overhang. Stair nosing can be used to finish staircases that have been fitted with hardwood flooring.



**Radiator Pipecover**

Designed to neaten up the holes cut into floorboards for standard central heating pipework.




Scan here for advice on maintenance, underlays and choosing profiles



RAMP




SEMI RAMP (Carpet)



SEMI RAMP (Tile)



END CAP (Carpet)



END CAP (Tile)



THRESHOLD,

**ADHESIVE**

Flooring fixings for the most secure fittings, allowing you to keep your Atkinson & Kirby flooring in pristine condition. Choose from our range of high quality adhesives.



**Proflex Ultra MS Polymer Adhesive**

Proflex is solvent, water & isocyanate free adhesive that bonds solid or engineered hardwood flooring to strong, sound dry substrate. Using high quality adhesive offers the most secure fitting option.



**Proflex Gun Grade Adhesive**


Engineered for the convenience of trigger application, this solvent free adhesive bonds solid or engineered hardwood flooring to strong, sound dry substrate. Using high quality adhesive offers the most secure fitting option.



Scan here for advice on maintenance, underlays and choosing profiles

**UNDERLAY**

Underlay is laid beneath flooring, choosing a high quality underlay will extend the life of your new flooring. Underlay improves insulation and offers sound proofing qualities, ensuring cushioning and comfort underfoot.



**Woodtex Wood and Laminate Underlay**

Woodtex is made from a dense rubber material, thick enough to soak up small sub-floor undulations and imperfections. The density of the rubber will also significantly reduce the hollow sound that can occur when floating flooring, and is suitable with underfloor heating.



**Quicktherm**

Especially designed for underfloor heating systems. A high quality, high density non- crosslinked premium polyethylene.



**Polyfoam White**

Polyfoam underlay can be used on any sub-floor that is level and dry such as floorboards and hardboards. Suitable for cushioning and light traffic.




**XPS Foam**

Designed for engineered and solid wood flooring and is resistant to heavy loads, uneven surfaces and acts as a barrier from moisture.



**Polyfoam Vapour Control**

Polyfoam underlay can be used on any sub-floor that is level and dry such as floorboards and hardboards. Suitable for cushioning and moisture control



**Polyfoam Acoustic Gold**

Polyfoam underlay can be used on any sub-floor that is level and dry such as floorboards and hardboards. Suitable for cushioning, heavier traffic, sound reduction and moisture protection



**NXT Underlay**

Especially designed for the use with the Click Fold Down products, this underlay is also suitable with underfloor heating systems

MAINTENANCE

All our wood care products are low VOC and safe for the whole family, including pets. We are committed environmentally friendly products based on natural raw materials instead of chemicals. This means you can use all our maintenance products in your home, time and time again.

Our new line of WOCA all-in-one maintenance kits specially designed for interior wood floors. These kits are the ultimate solution for effortlessly cleaning, protecting and enhancing the natural beauty of the wood.



**WOCA Oil Kit Natural**

Oiled Kit includes 1 L Natural soap, 1 L Maintenance Oil, 250ml Intensive Wood Cleaner, polishing pad, lint-free cloth spray head and work instructions.

Maintenance Oil refreshes the natural, warm glow of the wood and is suitable for both manual and machine application to oiled floors. The Natural Soap is used for regular cleaning and is a mild, penetrating soap that removes dirt and helps prevent the wood from drying out and cracking.

- All you need - in one box
- Makes oiled floors even more durable
- Highlights the glow and the grain structure of the wood
- Indoor climate certified
- Easy to apply



**WOCA Lacquer Kit**

Lacquered kit includes 1 L Master Cleaner, 250 ml Intensive Wood Cleaner, 1 L Master Care, cloth and work instructions.

Master Cleaner removes dirt and grime effectively, strengthens the surface and makes it more resistant to spills. Master Care smoothens small scratches, increases the resistance of the surface and provides effective protection against wear.

- Effective care and cleaning
- Extends the lifetime of the floor
- Fast and easy to use
- Produces a stronger, more resistant surface
- Protects against wear and scratches



**WOCA Maintenance Gel**

Maintenance Gel is for the care and maintenance of oiled indoor wooden floors. The oil is quick-drying and leaves an attractive, water and dirt-repellent surface.

- Suitable for all types of oiled surfaces
- Makes surfaces even more durable
- Simple application both manually and by machine
- Excellent results on factory-oiled/hardwax oil surfaces



**WOCA Hand Scrubber Pack**









































Hand scrubber Flex ensures a fast and efficient polishing and is suitable for all types of wooden floors








































Scan here for advice on maintenance, underlays and choosing profiles



SUMMARY


PROFILES					
Code	Description	Species	Size mm	Finish	
SCO1001	White Scotia	MDF	18 x 18 x 2400	White Effect	
SCO1002	Oak Scotia	Oak	18 x 18 x 2700	UV Satin Lacquer	
SCO2003	Oak Scotia	Oak	18 x 18 x 2700	Unfinished	
ENCP1001	End Cap Trim with Fixing	Oak	19 x 40 x 900	UV Satin Lacquer	
ENCP1002	End Cap Trim with Fixing	Oak	19 x 40 x 2700	UV Satin Lacquer	
ENCP2003	End Cap Trim with Fixing	Oak	19 x 40 x 900	Unfinished	
ENCP2004	End Cap Trim with Fixing	Oak	19 x 40 x 2700	Unfinished	
RMP1001	Ramp with Fixing	Oak	20 x 63 x 900	UV Satin Lacquer	
RMP1002	Ramp with Fixing	Oak	20 x 63 x 2700	UV Satin Lacquer	
RMP2003	Ramp with Fixing	Oak	20 x 63 x 900	Unfinished	
RMP2004	Ramp with Fixing	Oak	20 x 63 x 2700	Unfinished	
TWN1001	Twin Threshold with Fixing	Oak	19 x 50 x 900	UV Satin Lacquer	
TWN1002	Twin Threshold with Fixing	Oak	19 x 50 x 2700	UV Satin Lacquer	
TWN2003	Twin Threshold with Fixing	Oak	19 x 50 x 900	Unfinished	
TWN2004	Twin Threshold with Fixing	Oak	19 x 50 x 2700	Unfinished	
FLTH1001	Flat Threshold	Oak	6 x 45 x 900	UV Satin Lacquer	
FLTH1002	Flat Threshold	Oak	6 x 45 x 2700	UV Satin Lacquer	
FLTH2003	Flat Threshold	Oak	6 x 45 x 900	Unfinished	
FLTH2004	Flat Threshold	Oak	6 x 45 x 2700	Unfinished	
SRMP1001	Semi Ramp with Fixing	Oak	18 x 59 x 900	UV Satin Lacquer	
SRMP1002	Semi Ramp with Fixing	Oak	18 x 59 x 2700	UV Satin Lacquer	
SRMP2003	Semi Ramp with Fixing	Oak	18 x 59 x 900	Unfinished	
SRMP2004	Semi Ramp with Fixing	Oak	18 x 59 x 2700	Unfinished	
NSG1001	Stair Nosing	Oak	44 x 60 x 1000	UV Satin Lacquer	
NSG1002	Stair Nosing	Oak	44 x 60 x 3000	UV Satin Lacquer	
NSG2003	Stair Nosing	Oak	44 x 60 x 1000	Unfinished	
NSG2004	Stair Nosing	Oak	44 x 60 x 3000	Unfinished	
RDP1001	Radiator Pipecover	Oak	12 x 50	Unfinished	
RDP1002	Radiator Pipecover	Oak	12 x 50	UV Satin Lacquer	
ADHESIVE					
New Code	Description	Pack Size			
ADH2001	Proflex Ultra MS Polymer Adhesive	16kg Tub			
ADH2003	Proflex Gun Grade Adhesive	600ml Foil			
UNDERLAY					
New Code	Description	DB	Size	Pack Size (m <sup>2</sup> )	Underfloor Heating
UND1001	Quicktherm	19	1.8mm x 1000mm x 10m	10	Yes
UND1002	Woodtex	20	3mm x 1000mm x 10m	10	No
UND2001	Polyfoam Vapour Control	18	3mm x 1000mm x 15m	15	No
UND2002	Polyfoam Acoustic Gold	22	5mm x 1000mm x 15m	15	No
UND2004	Polyfoam White	18	2mm x 1000mm x 15m	15	No
UND2005	Polyfoam White	19	2mm x 1000mm x 120m	120	No
UND3001	XPS Foam	20	5mm x 856mm x 600mm	9.76	No
UND4001	NXT Underlay	20	1.5mm x 1000mm x 10,000mm	9.76	No
MAINTENANCE					
New Code	Description	Pack Size			
KIT1001	WOCA Oil Kit Natural	Box			
KIT1003	WOCA Lacquer Kit	Box			
MAT1001	WOCA Maintenance Gel	Bottle			
MAT1002	WOCA Hand Scrubber Pack	Pack			

	All dimensions in mm.	Code	Name	Pack Size	Price-point	Finish	Size (Th x W x L)	Wear Layer	Underfloor Heating	Fitting Requirements			Warranty Domestic (years)	Made to Order (MOQ)
										Floated	Secret Nailed	Stuck Down		
<b>ANTIQUE COLLECTION</b>														
Narrow Plank		RFD1005	Hatfield Oak	1.98	£££	Lacquered	18 x 150 x RL	Solid					1	
Medium Plank		CON2009	Finsbury	2.77	££	Matt Lacquer	14 x 180 x 2200	2.5	•	•		•	Lifetime	
		CON2010	Adelphi	2.77	£	Matt Lacquer	14 x 180 x 2200	2.5	•	•		•	Lifetime	
		CLA1008	Westray Oak	2.89	£	UV Oil	14 x 190 x 1900	3	•	•		•	1	
		CON3007	Pinzon Smoked Oak	2.17	££	UV Oil	18 X 190 X 1900	3	•	•		•	Lifetime	
		CON3008	Aldwych Smoked Oak	2.17	££	UV Oil	18 X 190 X 1900	3	•	•		•	Lifetime	
		CON3010	Hackfall Smoked Oak	2.17	££	UV Oil	18 X 190 X 1900	3	•	•		•	Lifetime	
Wide Plank		CLA3006	Moray Smoked Oak	1.81	£££	UV Oil	20 x 190 x 1900	6	•	•		•	1	
		RFD1006	Dark Finger Jointed Oak	1.786	£	Lacquered	18 x 203 x 2200	Solid				•	1	
		RFD1008	Finger Jointed Oak	1.786	£	Lacquered	18 x 203 x 2200	Solid				•	1	
<b>CLIMATE COLLECTION</b>														
Medium Plank		CON2001	Manoa Oak	2.77	£	Matt Lacquer	14 x 180 x 2200	2.5	•	•		•	Lifetime	
		CON2002	Tanami Oak	2.77	£	Natural Oil	14 x 180 x 2200	2.5	•	•		•	Lifetime	
		CON2003	Rasselas Oak	2.77	£	Matt Lacquer	14 x 180 x 2200	2.5	•	•		•	Lifetime	
		CON2004	Mojave Oak	2.77	££	Matt Lacquer	14 x 180 x 2200	2.5	•	•		•	Lifetime	
		CON3001	Baltra Oak	2.17	££	UV Oil	18 X 190 X 1900	4	•	•		•	Lifetime	
		CON3002	Seba Smoked Oak	2.17	££	UV Oil	18 X 190 X 1900	3	•	•		•	Lifetime	
<b>HARMONY COLLECTION</b>														
Medium Plank		CON2020	Katsura Oak Plank	2.17	££	UV Oil	15 x 190 x RL	4	•	•		•	Lifetime	
		CON1021	Noma Smoked Oak Plank	2.17	££	UV Oil	15 x 190 x RL	4	•	•		•	Lifetime	
		CON1022	Congaree Smoked Oak Plank	2.17	££	UV Oil	15 x 190 x RL	4	•	•		•	Lifetime	
		CON1023	Verdant Smoked Oak Plank	2.17	££	UV Oil	15 x 190 x RL	4	•	•		•	Lifetime	
		CON1024	Nanzen Oak Plank	2.17	££	UV Oil	15 x 190 x RL	4	•	•		•	Lifetime	
Medium Herringbone		PAR1020	Katsura Oak Block	0.648	££	UV Oil	15 x 90 x 450	3	•			•	Lifetime	
		PAR1021	Noma Smoked Oak Block	0.648	££	UV Oil	15 x 90 x 450	3	•			•	Lifetime	
		PAR1022	Congaree Smoked Oak Block	0.648	££	UV Oil	15 x 90 x 450	3	•			•	Lifetime	
		PAR1023	Verdant Smoked Oak Block	0.648	££	UV Oil	15 x 90 x 450	3	•			•	Lifetime	
		PAR1024	Nanzen Oak Block	0.648	££	UV Oil	15 x 90 x 450	3	•			•	Lifetime	
<b>HERITAGE COLLECTION</b>														
Medium Herringbone		PAR4001	Westbury Oak	1.92	£££	Fusion Hybrid	20 x 100 x 600	6	•			•	2	
		PAR4002	Somersby Oak	1.92	£££	Fusion Hybrid	20 x 100 x 600	6	•			•	2	
		PAR4003	Bathford Oak	1.92	£££	Fusion Hybrid	20 x 100 x 600	6	•			•	2	
		PAR4004	Wingate Oak	1.92	£££	Fusion Hybrid	20 x 100 x 600	6	•			•	2	
		PAR4005	Honesty Oak	1.92	£££	Fusion Hybrid	20 x 100 x 600	6	•			•	2	
		PAR4006	Paddington Oak	1.92	£££	Fusion Hybrid	20 x 100 x 600	6	•			•	2	
		PAR4007	Oxbridge Oak	1.92	£££	Fusion Hybrid	20 x 100 x 600	6	•			•	2	
		PAR4008	Foxley Oak	1.92	£££	Fusion Hybrid	20 x 100 x 600	6	•			•	2	
		PAR4009	Mayfair Oak	1.92	£££	Fusion Hybrid	20 x 100 x 600	6	•			•	2	
		PAR4010	Chesterfield Oak	1.92	£££	Fusion Hybrid	20 x 100 x 600	6	•			•	2	
		PAR4012	Somersby Oak Chevron	1.568	££££	Fusion Hybrid	20 x 100 x 520	6	•			•	2	200sqm
		PAR4013	Bathford Oak Chevron	1.568	££££	Fusion Hybrid	20 x 100 x 520	6	•			•	2	200sqm
		PAR4014	Wingate Oak Chevron	1.568	££££	Fusion Hybrid	20 x 100 x 520	6	•			•	2	200sqm
		PAR4015	Oxbridge Oak Chevron	1.568	££££	Fusion Hybrid	20 x 100 x 520	6	•			•	2	200sqm

	All dimensions in mm.	Code	Name	Pack Size	Price-point	Finish	Size (Th x W x L)	Wear Layer	Underfloor Heating	Fitting Requirements			Warranty Domestic (years)	Made to Order (MOQ)
										Floated	Secret Nailed	Stuck Down		
<b>NATURAL COLLECTION</b>														
Narrow Plank		CLA1004	Easdale Oak	2.28	£	UV Oil	14 x 150 x 1900	3	•	•	•	1		
		CLA1005	Uist Oak	2.28	£	Matt Lacquer	14 x 150 x 1900	3	•	•	•	1		
		CLA2004	Saddle Oak	1.98	££	Lacquer	18 x 150 x RL	4	•	•	•	1		
		CLA2005	Cairnwell Oak	1.98	££	UV Oil	18 x 150 x RL	4	•	•	•	1		
		RFD1011	Burton Oak	1.98	£££	UV Oil	18 x 150 x RL	Solid		•	•	1		
		RFD1012	Witley Oak	1.98	£££	Lacquered	18 x 150 x RL	Solid		•	•	1		
Medium Plank		CON2005	Sahara Oak	2.77	£££	Matt Lacquer	14 x 180 x 2200	2.5	•	•	•	Lifetime		
		CON2006	Holborn Oak	2.77	£	Matt Lacquer	14 x 180 x 2200	2.5	•	•	•	Lifetime		
		CON2007	Chiswick Oak	2.77	£	UV Oil	14 x 180 x 2200	2.5	•	•	•	Lifetime		
		CLA1009	Arran Oak	2.89	££	UV Oil	14 x 190 x 1900	3	•	•	•	1		
		CLA3004	Carron Oak	1.81	££	UV Oil	20 x 190 x 1900	4	•	•	•	1		
		CLA3007	Glenmore Oak	2.17	££	UV Oil	20 x 190 x 1900	6	•	•	•	1		
<b>PRESTIGE COLLECTION</b>														
Narrow Herringbone		PARI006	Kensington Oak	1.68	£££	Natural Oil Protect	11 x 70 x 500	3.6	•		•	Lifetime	100sqm	
		PARI007	Harlesden Smoked Oak	1.68	££££	Natural Oil Protect	11 x 70 x 500	3.6	•		•	Lifetime	100sqm	
		PARI008	Sloane Smoked Oak	1.68	££££	Natural Oil Protect	11 x 70 x 500	3.6	•		•	Lifetime	100sqm	
<b>PRINCIPLE COLLECTION</b>														
Narrow Plank		CLA1001	Isla Oak	2.2	£	Matt Lacquer	14 x 125 x RL	3	•	•	•	1		
		CLA1002	Iona Oak	2.2	£	UV Oil	14 x 125 x RL	3	•	•	•	1		
		CLA2001	Nevis Oak	2.2	£	Lacquer	18 x 125 x RL	4	•	•	•	1		
		CLA2002	Benmore Oak	2.2	£	Lacquer	18 x 125 x RL	4	•	•	•	1		
		CLA2003	Lomond Oak	2.2	£	UV Oil	18 x 125 x RL	4	•	•	•	1		
		CLA1003	Lismore Oak	2.28	£	UV Oil	14 x 150 x 1900	3	•	•	•	1		
		CLA1007	Lewis Oak	2.64	£	Matt Lacquer	14 x 150 x RL	3	•	•	•	1		
Medium Plank		DIY1001	Tarbert Oak	1.44	£	Matt Lacquer	14 x 150 x RL	3	•	•	•	1		
3 Strip		CLA1006	Harris Oak	2.64	£	UV Oil	14 x 190 x RL	3	•	•	•	1		
		CLA1010	Jura Oak 3 Strip	3.18	£	UV Oil	14 x 207 x 2200	3	•	•	•	5		
<b>TIMEWORN COLLECTION</b>														
Narrow Plank		CLA2010	Wyvis Smoked Oak	1.98	££	Hardwax Oil	18 x 150 x RL	4	•	•	•	1		
Medium Plank		CON3003	Grasmere Smoked Oak	2.17	££	Natural Oil	18 X 190 X 1900	4	•	•	•	Lifetime		
		CON3005	Wyndham Oak	2.17	££	Natural Oil	18 X 190 X 1900	4	•	•	•	Lifetime		
		CON3006	Rydal Oak	2.17	£££	UV Oil	18 X 190 X 1900	3	•	•	•	Lifetime		
		CON3009	Sandur Smoked Oak	2.17	£££	UV Oil	18 X 190 X 1900	3	•	•	•	Lifetime		
		CLA3008	Ness Smoked Oak	2.09	££	UV Oil	20 x 190 x RL	6	•	•	•	1		
<b>PERFORMANCE COLLECTION</b> Junckers Sylvasport														
Narrow Plank		CSF1003	Beech - Champion	1.43	£££	Silk matt lacquered	22 x 129 x 3700	Solid				Lifetime		
		CSF1001	Beech - Premium	1.43	£££	Silk matt lacquered	22 x 129 x 3700	Solid				Lifetime		
		CSF1002	Beech - Club	1.43	£££	Silk matt lacquered	22 x 129 x 3700	Solid				Lifetime		
		CSF1001SS	Beech - Premium Short Stave	1.43	£££	Silk matt lacquered	22 x 129 x 3700	Solid				Lifetime		
		CSF1002SS	Beech - Club Short Stave	1.43	£££	Silk matt lacquered	22 x 129 x 3700	Solid				Lifetime		
		CSF1003M	Maple - Champion	1.43	£££	Silk matt lacquered	22 x 129 x 3700	Solid				Lifetime		
		CSF1002M	Maple - Club	1.43	£££	Silk matt lacquered	22 x 129 x 3700	Solid				Lifetime		
		CSF1002MSS	Maple - Club Short Stave	1.43	£££	Silk matt lacquered	22 x 129 x 3700	Solid				Lifetime		



**Take the next step to your  
perfect floor**



Please help us care  
for the environment  
by recycling



T: 01695 573234  
Scotland T: 01506 505030  
sales@akirby.co.uk  
www.akirby.co.uk



Scan the QR code  
to view our latest  
digital brochure.

